Summary and Conclusions

The tectonic setting and regional seismicity of the northeastern Caribbean expose the island of Puerto Rico to a high seismic hazard. Large magnitude events in 1918 (est. magnitude 7.5), 1867 (est. magnitude 7.75), and 1787 (est. magnitude 8.-8.25) caused hundred of deaths and millions of dollars in material losses. Similar events will occur in the future. Off-shore faults in the Puerto Rico Trench, Mona Passage-Mona Canyon area, Anegada Passage, and the Muertos Trough are the most important potential earthquake sources in the Puerto Rico area. The Puerto Rico Trench, approximately 60 km. north of the metropolitan area of San Juan, poses the greatest hazard to the study area due to its proximity and high seismic potential (est. magnitude 8.8.25). On the basis of earthquake magnitude and intensity recurrence, regional attenuation and this researcher's judgement, the selected earthquake hazard level (most probable earthquake) for the risk analysis corresponds to a Modified Mercalli intensity VIII. This value is used as the basis for damage estimation.

The geology and geomorphology of the study area were defined as a preliminary step to mapping earthquake-induced geologic hazards. Three hazards were defined for the study area; ground shaking, landslides, and liquefaction. A map depicting hazard zones was prepared showing three levels of susceptibily for each hazard. Damage ratio was estimated for each zone adapting the procedures recommended by the Rice Center for earthquake risk analysis. The most important geologic hazard in the metropolitan area of San Juan is ground shaking, liquefaction and landslides. The analysis concludes that the most vulnerable areas are the

artificial fills placed over swamp deposits around San Juan Bay, Caño Martín Peña and Laguna San José and the alluvial deposits in the flood-plains of Río Grande de Loíza, Río Piedras and Río Bayamón. Both areas are exposed to a high ground shaking and ground failure hazard. Located in these zones are important lifelines such as the Bahía de Puerto Nuevo thermoelectric plant, transmission lines, electric energy substations, water treatment plants, pumping stations, water mains, docks, airport facilities and vital expressways that link the capital with the rest of the Island.

Moderate to high liquefaction potential is present in the alluvial deposits of the floodplains of Rio Grande de Loiza, Rio Piedras and Rio Bayamón and in the loose saturated sands near the coasts. Located in these zones are a large number of high rises and housing units, airport facilities, roads, water mains, pumping stations, and other lifelines.

Moderate to high landslide potential is present in the southern portion of the study area. Landslide damage potential in this zone varies with the antecedent moisture conditions of the hillslopes. An earthquake after a protracted period of rains can severely affect lifelines specially roads, where slope excavations, overloading, removal of lateral support, and other similar situations cause potentially unstable slope conditions.

It is recommended that earthquake mitigation strategies focus on high risk zones on the artificial fills surrounding the Bay and lagoons, the floodplains of Río Grande de Loíza, Río Bayamón and Río Piedras, and localized zones near the coast characterized by a moderate to high liquefaction

potential. Site specific geotechnical studies should be conducted in areas of greater risk in order to assess the specific vulnerability.

Puerto Rico must prepare for a big earthquake. A significant portion of the residential, commercial and transportation infrastructure are located in hazardous zones. Today the potential damage that will be created by a large earthquake event is greater than ever before. This study is a step in the efforts to prepare the Island for such event.

Bibliography

A. Der Kiureghian and H.S. Ang	1975, A Line Source Model For Seismic Risk Analysis. Civil Engineering Studies S.R. S. No. 419
Beinroth F. H.	1969, An outline of the Geology of Puerto Rico - Bulletin 213 Agricultural Experimental Station University of Puerto Rico, Mayaguez Campus
Brazee R.J.	1980, Reevaluation of Modified Mercalli Intensity Scale for Earthquakes Using Distance as Determinant NUREG/CR-1804 NOAA Tech. Memo. EDIS NGSDC-4
Briggs, R.P. and Akers, J.P.	1965, Hydrogeologic Map of Puerto Rico and Adjacent Areas. Hydrologic Investigations Atlas HA-197. U.S. Geological Survey Washington D.C.
Briggs, Reginald P.	1964, Provisional Geologic Map of Puerto Rico and Adjacent Areas: U.S. Geological Survey Miscellaneous Geologic Investigations Map 1-392
Brown and Kockelman	1983, Geologic Principles for Prudent Land use. G.S.P.P. 946
Capacete J.L.	1977, Comportamiento de los Suelos Durante los Terremotos- Revista del Colegio de Ingenieros Arquitectos y Agrimensores - April-May-June
Capacete J.L.	1972, Earthquake Damage Potential Revista del Colegio de Ingenieros Arquitectos y Agrimensores de Puerto Rico Jan- Feb- March
Capacete J.L.	1971, Seismic Design of Structures in Puerto Rico. Revista del Colegio de Ingenieros, Arquitectos y Agrimensores de Puerto Rico Vol. XXI Jan- Feb - March Num. 1
Case, J.E. and Holcomb, T.L.	1980, Geologic Tectonic Map of the Caribbean Region - U.S. Geological Survey - Misc. Invest. Ser. Map, I - 1100
Dart, R.L., Tarr A.C., Carver D.L., Wharton M.K.	1977, Puerto Rico Seismic Network Data Report of Earthquakes Located by the Programs HYPO71 and Hypoellipse July 1, 1975- December 31, 1977 Geological Survey Circular 821

Deere Don E. 1955, Engineering properties of the Pleistocene and recent Sediments of the San Juan Bay Area, Puerto Rico Thesis-University of Illinois - Urbana

EERI 1983, Evaluation of Seismic Hazards, and Decisionmaking in Earthquake Resistant Design Seminar Annual Meeting of Earthquake Engineering Research- Institute - Reno Nevada

Ferritto J.M. 1982, Evaluation of Earthquake - Induced Ground Failure
A Draft Technical Report of Subcommitte 7, "Evaluation
of Site Hazards" - Open File Report 82-880

Gauchat U.P.
and Schodek D.L. 1984, Patterns of Housing Type and Density: A Basis
For Analyzing Earthquake Resistance - Department of
Arquitecture, Graduate School of Design
Harvard University - Cambridge, Ma.

Glover L. III 1971, Geology of the Coamo Area P.R., and its Relation to the Volcanic Are-Trench Association G.S.P.P. 636

Hays W.W. 1984, Evaluation of the Earthquake Ground-Shaking Hazard A workshop on "Geologic Hazards in Puerto Rico" April 4-6 San Juan, P.R. - Open File Report 84-761

Hays W.W. 1981, Facing Geologic and Hydrologic Hazards - Earth-Science Considerations Geological Survey Professional Paper 1240-B U.S. Government Printing Office, Washington, D.C.

Hays W.W. 1980, Procedures For Estimating Earthquake Ground Motions Geological Survey Professional Paper 1114 p - 1-69

Hildebrand F.A. 1961, Hydrothermally Altered Rock in Eastern, Puerto Rico U.S.G.S. pp. 424-B p.B-219 - p.221

Keefer D.K. 1984, Landslides Caused by Earthquakes Geological Society of America Bulletin, V.95, p. 406-421

Kaye C.A. 1959, Shoreline Features and Quaternary Shoreline Changes Puerto Rico - Geological Survey Professional Paper 317-B

Kaye C. A. 1959, Geology of the San Juan Metropolitan Area Puerto Rico Geological Survey Professional Paper 317-A

Lee, K.L. and 1974, Earthquake Induced Settlements in Saturated Sands, Albasia, A. Journal of the Geotechnical Division, ASCE, No. GT4
Apr. 1974

Lennis Berlin G. 1980, Earthquakes and the Urban Environment Vol. I, II, III C.R.C. Press Inc.

Mailfait T.B. 1972, Circum-Caribbean Tectonic and Igneous Activity and the Dinkelman M.G. Evolution of the Caribbean Plate. G.S. Am. Bull V. 83 p. 251-272

McCann W.R.

1984, On the Earthquake Hazard of Puerto Rico and the Virgin Islands. A Workshop on "Geologic Hazards in Puerto Rico. April 4-6, 1984 San Juan Puerto Rico Open File Report 84-761 - U.S. Geological Survey

McCann W.R. and Sykes, L.R.

1984, Subduction of Aseismic Ridges Beneath the Caribbean Plate: Implications for the Tectonics and Seismic Potential of Northeastern Caribbean. Journal of Geophysical Research, in press.

Mitchell James K. 1983, Multiple Hazard Mitigation Report of a Workshop on Mitigation Strategies for Communities Prone to Multiple Natural Hazards - NRC - NAS

Molinelli José A. 1984, Geomorphic Processes Along the Autopista Las Americas in North Central Puerto Rico: Implications for Highway Construction, Design, and Maintenance- University Microfilms International - Ann Arbor, Michigan

Molnar, P. and 1969, Tectonics of the Caribbean and Middle America Regions Sykes, L.R. from Focal Mechanisms and Seismicity, Geol. Soc. of A.Bul. 80,pp. 1639-1684

Monroe Watson H. 1980, Some tropical Landforms of Puerto Rico, Geological Survey Professional Paper - 1159
USGPO, Washington

Monroe, W.H. 1980, Geology of the Middle Terciary Formations of Puerto Rico Geological Survey Professional paper 953 U.S.G.P.O. Washington

Monroe W.H. 1979, Map Showing Landslides and Areas of Suceptibility to Landsliding in Puerto Rico Miscellaneous Investigations Series Map I-1148

Monroe W.H. 1977, Geologic Map of the Carolina Quadrangle, Puerto Rico: U.S. Geological Survey Miscellaneous Geologic Investigations Map I - 1054 - Scale 1:20,000

Monroe W.H. 1976, The Karst Landforms of Puerto Rico: U.S. Geological Survey Professional Paper 899, 69. p.

Monroe W.H. 1973, Geologic Map of the Bayamón Quadrangle, Puerto Rico Miscellaneous Geologic Investigations. Map I-751 U.S. Geological Survey

Monroe W.H. 1973, Geologic Map of the Bayamón Quadrangle, Puerto Rico U.S. Geological Survey Miscellaneous Geologic Investigations Map I-751, Scale 1:20, 000

Monroe W.H.

1964, Large Retrogressive Landslides in North-Central
Puerto Rico: U.S. Geological Survey - Profesional
Paper 501-B, p. B123-B125

Munich RE 1973, Managua, A Study of the 1972 Earthquake
Munchener Ruckversicherungs - Gesellschaft
Munich Re

NORCO-NP-ER

1972, North Coast Nuclear Plant No. 1 PRWRA Environmental Report - U.S. Atomic Energy Commission Docket
No. 50-376 P.9-C-13 - 9.C-23

Pain C.F. 1972, Characteristics and geographic effects of Earth-quake initiated landslides in the Adelbert Range,
Papua -New Guinea - Eng. Geol., 6:261-274

Pease, M.H., and 1977, Geologic Map of the San Juan Quadrangle: U.S. Monroe, W.H. Geological Survey Miscellaneous Geologic Investigations Map I-1010 Scale 1:20,000

Petrouski Jakin T. 1978, Seismic Microzoning and Related Problems - p.48-65 In The Assessment and Mitigation of Earthquake Risk UNESCO

Rice 1983, Earthquake Risk Analysis for Land Use Planning: Draft Technical Report - Houston: Rice Center, Inc.

Reid, H. and 1920, The Virgin Islands Earthquakes of 1867-1868, Taber, S. Bull. of the Seism. Soc. of Am., 10, 9-30

Reid, H.F. and 1918, The Puerto Rico Earthquake of 1918, with Descriptions of Earlier Earthquakes: Report of the Earthquake Investigation Comission, U.S. G.P.O. Washington, D.C. 74 p.

Rodríguez L. 1984, How Can Better Earthquake Resistant Design of structures and lifelines Reduce losses From Damaging earthquakes. pag. 122

A workshop on Geologic Hazard in Puerto Rico - April 4-6,

1984 - Open File Report 84-761

Sauter, F. 1979, Damage Predictions from Earthquake Insurance,

Proceedings of the 2nd U.S. National Conference on Earthquake Engineering, Stanford, California, pp. 99-108

Sauter, F., and 1978, Estudio de Seguro Contra Terremoto. A Report Prepared H.C. Shah for Instituto Nacional de Seguros

Schell, B.A., and 1978, Plate Tectonics of the Northeastern Caribbean Sea Tarr, A.C., Region: Geologic Mijnbouw, V. 57, p. 319-324

Seed and Idriss 1971, Simplified Procedure for Evaluating Soil Liquefaction Potential, Journal of Soil Mechanies and Foundation Division, ASCE. Vol. 97 SMG,

1979, Soil Liquefaction and Cyclic Mobility Seed H. B. Evaluation For Level Ground During Earthquakes Journal of the Geotechnical Engineering Division ASCE, 105 GT2 pag. 201-251

Seguinot J.B. 1983, Coastal Modification and Land Transformation of the San Juan Bay Area: Puerto Rico University Microfilms - Ann Arbor Michigan

Simonett D.S. 1967, Landslide Distribution and Earthquakes in the Bewani and Torricelli Mountains New Guinea. Statistical Analysis p. 64-84 Land Form Studies from Australia and New Guinea. Ed. by Jennings J.N. and Mabbut J. A. Australian National University Press - Camberra

Slemmons B.D. 1983, Fault Activity and Maximum Earthquakes EERI Seminar Evaluation of Seismic Hazards and Decisionmaking in Earthquake Resistant Design.

1982, Determination of Design Earthquake Magnitudes Slemmons, D.B. for Microzonation Proceedings of the Third International Earthquake Microzonation Conference, Volume I of III, p. 119 - 130.

Steinbrugge 1962, Earthquake Hazard in Puerto Rico From the Insurance Standpoint - Puerto Rico Inspection and Rating Bureau, San Juan, P.R.

Sykes, L., McCann W.R., Kafka A. 1982, Motion of the Caribbean Plate During Last Seven Millions Years and Implication For Earlier

Cenozoic Movements, Journal of Geophysical Research, 87, 10656 - 10676

Sykes, L.R. and 1965, The Seismicity of The Caribbean Region. Journal of Geophysical Research. , 70, 5065-5074 Ewing, M.

Tera-Corp 1980, Seismic Hazard Analysis A methodology For the Eastern United States Tera Corporation NUREF/ CR-1582 Vol-2

> 1977, Análisis de Vulnerabilidad Combinada Metodología y Estudio de la Zona Metropolitana de Manila - Oficina del Coordinador de las Naciones Unidas para el Socorro en Caso de Desastres Ginebra

Undro

UNPD

1982, Earthquake Risk Reduction in the Balkan Region Project Executed by UNESCO in Association with UNDRO. Vol-A- Seismology, Seismotectonics, Seismic Hazard and Earthquake Prediction Vol-B-Vulnerability and Seismic Hazard

Vit Karnik and S.T. Algermissen

Seismic Zoning The Assesment and Mitigation of Earthquake Risk - p-11-47 UNESCO

Youd L.T. and Perkins D.M.

1978, Mapping Liquefaction - Induced Ground Failure Potential Journal of the Geotechnical Engineering Division April 13659, GT4 p.433-446

Magnitude Recurrence For the Puerto Rico Region

Magnitude	100 years probability	One event every
4.0	198.266	
4.1	164.553	
4.2	137.187	
4.3	114.863	once a year
4.4	96.564	
4.5	81.499	
4.6	69.040	
4.7	58.695	
4.8	50.071	2 years
4.9	42.855	
5.0	36.794	
5.1	31.685	
5.2	27.366	
5.3	23.701	
5.4	20.582	5 years
5.5	17.920	
5.6	15.641	
5.7	13.685	
5.8	12.002	
5.9	10.549	10 years
6.0	9.292	
6.1	8.202	

Magnitude	100 years probability	One event every
6.2	7.255	
6.3	6.429	
6.4	5.709	20 years
6.5	5.078	
6.6	4.525	
6.7	4.040	
6.8	3.612	
6.9	3.235	30 years
7.0	2.902	
7.1	2.608	
7.2	2.346	
7.3	2.114	50 years
7.4	1.908	
7.5	1.724	
7.6	1.560	
7.7	1.413	
7.8	1.282	
7.9	1.165	
8.0	1.059	
8.1	.964	100 years
8.2	.879	
8.3	.802	
8.4	-73 3	

APPENDIX II

Earthquakes within 200 miles of Puerto Rico 1915 - 1983

Year	Month	Day	Latitude	Longitude	Magnitude
1946	Aug	04	19.25	69.00	8.1
1943	Jul	29	19.25	67.50	7.9
1918	Oct	11	18.50	67.50	7.5
1916	Apr	24	18.50	68.00	7.2
1917	Jul	27	19	67.50	7.0
1946	Oct	04	18.75	68.50	7.0
1915	Oct	11	19.00	67.00	6.8
1920	Feb	10	18.00	67.50	6.5
1927	Aug	02	19.00	64.50	6.5
1943	Jul	30	19.25	67.75	6.5
1919	Sep	06	19.50	64.50	6.3
1922	Dec	18	19.00	67.00	6.3
1930	Jun	25	19.00	64.00	6.3
1961	Nov	16	18.50	68.80	6.0
1964	Dec	22	18.40	68.00	6.0
1933	Jul	21	19.00	68,50	5.8
1955	May	13	19.28	64.38	5.8
1970	Ju1	80	18.00	64.60	5.8
1935	Sep	15	19.00	65.00	5.6
1939	Dec	24	18.00	68.00	5.6
1939	Mar	07	18.00	67.00	5.6
1939	Mar	07	18.00	67.00	5.6

Year	Month	Day	Latitude	Longitude	Magnitude
1943	Aug	08	19.00	68.00	5.6
1943	Aug	15	19.00	68.25	5.6
1944	Aug	09	18.50	67.00	5.6
1966	Nov	03	19.20	68.00	6.25
1961	Aug	19	18.00	68.80	5,5
1964	Aug	10	19.10	67.30	5.5
1967	Sep	03	18.64	67.67	5.5
1965	Jun	12	19.20	64.90	5.4
1966	Jan	15	19.30	65.30	5.4
1959	Jul	21	18.87	68.04	5.3
1964	Jan	18	18.80	69.40	5.3
1965	Sep	06	18.60	67.60	5.3
1966	Dec	24	18.69	64.51	5.3
1966	Jan	13	19.00	64.70	5.3
1967	Apr	12	18.00	68.39	5.3
1971	Jun	26	19.02	68.01	5.3
1965	Nov	15	18.24	65.36	5.2
1965	Nov	16	18.73	67.50	5.2
1966	Nov	03	19.10	67.90	5.2
1965	Nov	21	19.30	67.40	5.1
1966	Sep	07	19.01	64.67	5.1
1968	Apr	13	19.00	66.90	5.1
1966	Aug	13	18.01	68.70	5.0

Year	Month	Day	Latitude	Longitude	Magnitud
1966	Dec	07	18.30	68.50	5.0
1966	Sep	80	17.63	65.65	5.0
1969	Aug	01	18.80	64.40	5.0
1971	Ju1	08	19.07	68.03	5.0
1971	Jun	12	18.91	64.32	5.0
1974	Aug	23	19.05	68.04	5.0
1976	Dec	28	19.96	65.00	5.0
1943	Jul	31	19.00	67.10	4.9
1944	Feb	15	17.00	67.00	4.9
1945	Jul	13	19.00	64.00	4.9
1945	Nov	08	19.00	68.00	4.9
1945	Sep	26	19.00	65.00	4.9
1949	Dec	21	18.50	67.00	4.9
1949	Feb	08	18.00	68.50	4.9
1949	Jun	04	19.50	67.00	4.9
1949	Jun	12	19.00	69.00	4.9
1949	Jun	22	19.00	69.00	4.9
1949	Mar	23	19.00	68.50	4.9
1950	Jun	15	19.00	69.00	4.9
1951	Feb	21	18.57	69.00	4.9
1951	Jul	11	18.00	69.68	4.9
1963	May	23	19.20	64.50	4.9
1966	Sep	10	19.10	67.20	4.9
1967	Aug	15	19.20	68.50	4.9

Year	Month	Day	Latitude	Longitude	Magnitude
1967	Feb	21	19.14	67.91	4.9
1970	Nov	08	18.60	64.70	4.9
1971	Jun	27	19.07	67.91	4.9
1971	Sep	30	18.06	64.52	4.9
1974	Jun	21	18.94	66.99	4.9
1975	Aug	25	15.97	67.62	4.9
1954	Apr	01	19.38	67.23	4.8
1964	Jul	14	19.00	66.50	4.8
1964	Nov	05	18.20	68.40	4.8
1967	Mar	20	19.31	64.94	4.8
1969	Oct	15	19.28	65.43	4.8
1970	Jun	13	19.25	65.22	4.8
1971	Aug	26	19.01	67.73	4.8
1971	Feb	02	18.19	68.39	4.8
1950	Jan	02	19.03	67.72	4.7
1964	Jun	16	19.60	66.80	4.7
1965	Dec	10	18.50	69.00	4.7
1965	Jun	30	18.50	68.70	4.7
1966	Nov	04	19.20	67.80	4.7
1966	Nov	09	19.20	67.90	4.7
1966	Nov	20	18.20	68.40	4.7
1968	Mar	29	18.80	64.80	4.7
1968	Oct	31	17.92	67.60	4.7
1969	Jan	03	18.50	65.06	4.7

Year	Month	Day	Latitude	Longitude	Magnitude
1970	Apr	07	18.18	68.12	4.7
1970	Aug	16	19.11	65.06	4.7
1970	Nov	15	18.98	66.83	4.7
1971	Aug	27	19.21	68.11	4.7
1972	Feb	02	18.50	66.90	4.7
1973	Apr	01	19.22	64.28	4.7
1973	Apr	01	19.28	64.17	4.7
1974	Jun	01	18.18	68.03	4.7
1974	Oct	09	19.32	65.18	4.7
1974	Oct	26	18.42	66.32	÷.7
1964	Aug	24	18.40	68.80	4.6
1966	Jul	16	18.20	64.70	4.6
1966	Jun	17	18.50	68.80	4.6
1966	Nev	22	19.20	67.90	4.6
1966	Sep	10	19.30	67.90	4.6
1966	Sep	14	19.20	67.80	4.6
1967	Mar	01	19.20	67.80	4.6
1968	Apr	26	18.20	68.00	4.6
1969	Apr	06	19.40	64.57	4.6
1970	Ju1	05	19.09	68.40	4.6
1970	Jul	05	19.02	68.42	4.6
1970	Sep	07	19.24	65.14	4.6
1971	Jul	80	19.12	64.39	4.6
1972	May	23	18.53	66.95	4.6

Year	Month	Day	Latitude	Longitude	Magnitude
1972	Sep	03	17.76	65.67	4.6
1973	Oct	16	19.48	64.43	4.6
1974	Aug	29	17.82	65.48	4.6
1974	Jan	01	19.05	64.94	4.6
1976	Dec	02	15.91	67.97	4.6
1976	Jul	02	19.63	69.63	4.6
1976	Jun	13	18.62	67.68	4.6
1961	Jun	01	19.30	69.30	4.5
1964	Aug	25	18.20	68.20	4.5
1964	Dec	08	19.00	64.00	4.5
1964	Feb	01	19.40	66.30	4.5
1967	Jun	13	19.10	66.30	4.5
1968	Nov	17	19.10	68.05	4.5
1970	Dec	03	19.04	64.92	4.5
1970	Nov	09	19.10	67.50	4.5
1971	Aug	21	18.33	67.72	4.5
1971	Feb	22	19.25	67.93	4.5
1971	Jun	12	19.43	64.47	4.5
1971	Mar	07	19.37	66.24	4.5
1972	Feb	23	18.23	68.79	4.5
1973	Nov	25	18.70	64.58	4.5
1977	Oct	13	19.79	68.37	4 - 4
1982	Sep	30	18.81	64.32	4 • 4
1966	Sep	31	19.40	67.70	4.3

Year	Month	Day	Latitude	Longitude	Magnitude
1976	0ct	15	18.93	64.49	4.3
1976	Oct	31	19.79	65.60	4.3
1976	Sep	16	18.70	68.51	4.3
1977	Dec	03	18.89	68.51	4.3
1977	Dec	26	17.65	69.72	4.3
1977	Oct	06	19.52	64.10	4.3
1982	Jun	11	18.80	64.37	4.3
1976	Sep	16	18.18	64.58	4.2
1977	Oct	18	19.00	64.96	4.2
1977	Sep	23	18.87	64.50	4.2
1976	Jun	80	17.92	63.85	4.1
1976	May	10	19.24	69.06	4.1
1976	Oct	13	17.17	63.90	4.1
1977	Feb	05	18.51	67.13	4.1
1977	Jun	06	19.26	69.07	4.1
1977	Sep	27	16.48	67.66	4.1
1983	Mar	03	17.99	65.86	4.1
1976	Jul	15	19.39	63.95	4.0
1977	Aug	14	16.78	65.18	4.0
1983	Jun	27	17.91	66.94	4.0

APPENDIX III

MODIFIED MERCALLI INTENSITY SCALE OF 1931 (Unabridged)

[Adapted from Sieberg's Mercalli-Cancani scale, modified and condensed.]

- I. a. Not felt or, except rarely under especially favorable circumstances.
 - Under certain conditions, at and outside the boundary of the area in which a great shock is felt:
 - b. Sometimes birds, animals, reported uneasy or disturbed.
 - c. Sometimes dizziness or nausea experienced.
 - d. Sometimes trees, structures, liquids, bodies of water, may sway, doors may swing, very slowly.
- II. a. Felt indoors by few, especially on upper floors, or by sensitive, or nervous persons.

Also, as in grade I, but often more noticeably:

- b. Sometimes hanging objects may swing, especially when delicately suspended.
- c. Sometimes trees, structures, liquids, bodies of water, may sway, doors may swing, very slowly.
- d. Sometimes birds, animals, reported uneasy or disturbed.
- e. Sometimes dizziness or nausea experienced.
- III. a. Felt indoors by several....
 - b. Motion usually rapid vibration.
 - c. Sometimes not recognized to be an earthquake at first.
 - d. Duration estimated in some cases.
 - e. Vibration like that due to passing of light, or lightly loaded trucks, or heavy trucks some distance away.
 - f. Hanging objects may swing slightly.
 - g. Movements may be appreciable on apper levels of tall structures.
 - h. Rocked standing motorcars slightly.
 - IV. a. Felt indoors by many, outdoors by few.
 - b. Awakened few, especially light sleepers.
 - c. Frightened no one, unless apprehensive from previous experience.
 - d. Vibration like that due to passing of heavy, or heavily loaded trucks.

- e. Sensation like heavy body striking building, or falling of heavy objects inside.
- f. Rattling of dishes, windows, doors; glassware and crockery clink and clash.
- g. Creaking of walls, frame, especially in the upper range of this grade.
- h. Hanging objects swung, in numerous instances.
- i. Disturbed liquids in open vessels slightly.
- j. Rocked standing motorcars noticeably.
- V. a. Felt indoors by practically all, outdoors by many or most.
 - b. Outdoors direction estimated.
 - c. Awakened many, or most.
 - d. Frightened few--slight excitement, a few ran outdoors.
 - e. Buildings trembled throughout.
 - f. Broke dishes, glassware, to some extent.
 - g. Cracked windows -- in some cases, but not generally.
 - h. Overturned vases, small or unstable objects, in many instances, with occasional fall.
 - i. Hanging objects, doors, swing generally or considerably.
 - j. Knocked pictures against walls, or swung them out of place.
 - k. Opened, or closed, doors, shutters, abruptly.
 - 1. Pendulum clocks stopped, started, or ran fast, or slow.
 - m. Moved small objects, furnishings, the latter to slight extent.
 - n. Spilled liquids in small amounts from well-filled open containers.
 - o. Trees, bushes, shaken slightly.
- VI. a. Felt by all, indoors and outdoors.
 - Frightened many, excitement general, some alarm, many ran outdoors.
 - c. Awakened all.
 - d. Persons made to move unsteadily.
 - e. Trees, bushes, shaken slightly to moderately.
 - f. Liquid set in strong motion.
 - g. Small bells rang--church, chapel, school, etc.
 - h. Damage slight in poorly built buildings.
 - i. Fall of plaster in small amount.
 - j. Gracked plaster somewhat, especially fine cracks (in) chimneys in some instances.
 - k. Broke dishes, glassware, in considerable quantity, also some windows.
 - 1. Fall of knickknacks, books, pictures.
 - m. Overturned furniture in many instances.
 - n. Moved furnishings of moderately heavy kind.

- VII. a. Frightened all--general alarm, all ran outdoors.
 - b. Some, or many, found it difficult to stand.
 - c. Noticed by persons driving motorcars.
 - d. Trees and bushes shaken moderately to strongly.
 - e. Waves on ponds, lakes, and running water.
 - f. Water turbid from mud stirred up.
 - g. Incaving to some extent of sand or gravel stream banks.
 - h. Rang large church bells, etc.
 - i. Suspended objects made to quiver.
 - j. Damage negligible in buildings of good design and construction.
 - k. (Damage) slight to moderate in well-built ordinary buildings, considerable in poorly built or badly designed buildings, adobe houses, old walls (especially where laid up without morter), spires, etc.
 - 1. Cracked chimneys to considerable extent, walls to some extent.
 - m. Fall of plaster in considerable to large amount, also some stucco.
 - n. Broke numerous windows, furniture to some extent.
 - o. Shook down loosened brickwork and tiles.
 - p. Broke weak chimneys at the roofline (sometimes damaging roofs).
 - q. Fall of cornices from towers and high buildings.
 - r. Dislodged bricks and stones.
 - s. Overturned heavy furniture, with damage from breaking,
 - t. Damage considerable to concrete irrigation ditches.
- VIII. a. Fright general--alarm approaches panic.
 - b. Disturbed persons driving motorcars.
 - c. Trees shaken strongly--branches, trunks, broken off, especially palm trees.
 - d. Ejected sand and mud in small amounts.
 - e. Changes: temporary, permanent; in flow of springs and wells; dry wells renewed flow; in temperature of spring and well waters.
 - f. Damage slight in structures (brick) built especially to withstand earthquakes.
 - g. (Damage) considerable in ordinary substantial buildings, partial collapse; racked, tumbled down, wooden houses in some cases; threw out panel walls in frame structures, broke off decayed piling.
 - h. Fall of walls.
 - i. Cracked, broke, solid stone walls seriously. Wet ground to some extent, also ground on steep slopes.
 - j. Twisting, fall, of chimneys, columns, monuments, also factory stacks, towers.
 - k. Hoved conspicuously, overturned, very heavy furniture.

- IX. a. Panic general
 - b. Cracked ground conspicuously.
 - c. Damage considerable in (masonry) structures built especially to withstand earthquakes.
 - d. Threw out of plumb some wood frame houses built especially to withstand earthquakes.
 - e. (Damage) great in substantial (masonry) buildings, some collapse in large part; or wholly shifted frame buildings off foundations, racked frames.
 - f. (Damage) serious to reservoirs.
 - g. Underground pipes sometimes broken.
 - X. a. Cracked ground, especially when loose and wet, up to widths of several inches; fissures up to a yard in width ran parallel to canal and stream banks.
 - b. Landslides considerable from river banks and steep coasts.
 - c. Shifted sand and mud horizontally on beaches and flat land.
 - d. Changed level of water in wells.
 - e. Threw water on banks of canals, lakes, rivers, etc.
 - f. Damage serious to dams, dikes, embankments.
 - g. (Damage) severe to well-built wooden structures and bridges, some destroyed.
 - Developed dangerous cracks in excellent brick walls.
 - i. Destroyed most masonry and frame structures, also their foundations.
 - j. Bent railroad rails slightly.
 - k. Tore apart, or crushed endwise, pipelines buried in earth.
 - 1. Open cracks and broad wavy folds in cement pavements and asphalt road surfaces.
- XI. a. Disturbances in ground many and widespread, varying with ground material.
 - b. Broad fissures, earth slumps, and land slips in soft, wet ground.
 - Ejected water in large amounts charged with sand and mud.
 - d. Caused sea-waves ("tidal" waves) of significant magnitude.
 - e. Damage severe to wood frame structures, especially near shock centers.
 - f. (Damage) great to dams, dikes, embankments, often for long distances.
 - g. Few, if any, (masonry) structures remained standing.
 - h. Destroyed large well-built bridges by the wrecking of supporting piers, or pillars.
 - i. Affected yielding wooden bridges less.
 - j. Bent railroad rails greatly, and thrust them endwise.
 - k. Put pipelines buried in earth completely out of service.

- XII. a. Damage total--practically all works of construction damaged greatly or destroyed.
 - b. Disturbances in ground great and varied, numerous shearing cracks.
 - c. Landslides, falls of rock of significant character, slumping of river banks, etc., numerous and extensive.
 - d. Wrenched loose, tore off, large rock masses.
 - e. Fault slips in firm rock, with notable horizontal and vertical offset displacements.
 - f. Water channels, surface and underground, disturbed and modified greatly.
 - g. Dammed lakes, produced waterfalls, deflected rivers, etc.
 - b. Waves seen on ground surfaces (actually seen, probably, in some cases).
 - i. Distorted lines of sight and level.
 - j. Threw objects upward into the air.

APPENDIX IV

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

A WORKSHOP ON "GEOLOGIC HAZARDS IN PUERTO RICO"

APRIL 4-6, 1984 SAN JUAN, PUERTO RICO

SPONSORED BY

U.S. GEOLOGICAL SURVEY PEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL BUREAU OF STANDARDS

Editors

Paula L. Gori and Walter W. Hays U.S. Geological Survey Reston, Virginia 22092

Open File Report 84-761

Compiled by

Carla J. Kitzmiller and Lynne N. Downer

This report is preliminary and has not been edited or reviewed for conformity with U.S. Geological Survey publication standards and stratigraphic nomenclature. The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the United States Government. Any use of trade names and trademarks in this publication is for descriptive purposes only and does not constitute endorsement by the U.S. Geological Survey.

Reston, Virginia 1984

TABLE OF CONTENTS

BACKGROUND	INFORMATION	AMD	SUMMARY	Œ	THE	WORKSHOP

Planning Against Geologic Hazards in Puerto Rico	
Hilda Diaz-Soltero	1
Introductory Remarks: The Role of the Workshop for Improving the	
State-of-Preparedness in Addressing Geologic Hazards	
Samuel Speck	8
Background and Summary of the Workshop on "Geologic Hazards in Puerto	
Rico"	
Walter Hays and Paula Gori	12
Report of Discussion Groups	
Draft Plans for Mapping of Geologic Hazards to E at the Needs of	
Land Use and Emergency Response Planning	
Stanley McIntosh and Anselmo De Portu	25
Draft Plans to Increase Community Preparedness	
Risa Palm and Olga Hernandez	28
Draft Plans for Implementation of Loss Reduction Measures	
Earl Brabb and Luis Biaggi	30
Draft Plans to Enhance Information Transfer and Personal Preparedness	
William Kockelman and Leandro Rodriguez	32
Draft Plans for Increasing Awareness of Geologic Hazards	
Jane Bullock and Philip McIntire	34
EVALUATION OF THE WORKSHOP	
Evaluation of the Workshop on Geologic Hazards in Puerto Rico	
Ann FitzSimmons	36
MATURE AND EXTENT OF BARTHQUAKE AND GROUND-PAILURE HAZARDS IN PUERTO RICO	
On the Earthquakes Hazard of Puerto Rico and the Virgin Islands	
William McCann	41
Evaluation of the Earthquake Ground-Shaking Hazard	
•	61
Custom Made Microcomputer Seismic Acquisition and Display System for the	
Cayey Observatory	
Modesto Iriarte, Jose Hernandez Betancourt, and Walter Cedeno	73
Rapid Mass Movement as a Geologic Hazard in Puerto Rico	
Jose Molinelli	80

Vulnerability of Manmade Structures to Earthquakes and Ground Failure Bernardo Deschapelles	86
Ground Failure in Puerto Rico Alejandro Soto	96
Sinkhole Development in Limestone Areas as Related to Rainfall and Ground-	
Water Development in Puerto Rico Fernando Gomez-Gomez	101
RESPONDING TO GEOLOGICAL HAZARDS	
Responding to Geologic Hazards Philip McIntire	104
The Puerto Rico Telephone Company Involvement in Earthquake Disaster	
Miguel Puig	107
FORMULATING PLANS TO DEAL WITH GEOLOGIC HAZARDS IN PUERTO RICO	
How to Develop an Effective Program of Public Education and Increased Hazard Awareness	
Risa Palm	113
How to Plan an Effective Program of Public Education and Increased Hazard Awareness Joyce Bagwell	
Joyce Dagwell	11/
How Can Better Earthquake-Resistant Design of Structures and Lifelines Reduce Losses from Damaging Earthquakes	
Leandro Rodriguez	122
Earthquake Hazard Mitigation Through Improved Seismic Design Charles Culver	125
Developing a Community Program to Prepared for and Respond to a Major Earthquake	
Claire Rubin	131
Public Awareness Programs of the Puerto Rico Department of Natural Resources	
Julia Ivette Malave	138
APPENDIX A	
List of Participants	A-1

EVALUATION OF THE WORKSHOP ON GEOLOGIC HAZARDS IN PURKTO RICO

by

Ann FitzSimmons University of Colorado Boulder, Colorado 80309

At the conclusion of the workshop, program participants were asked to answer several questions: How well did the workshop succeed in reaching its goals? How useful were various workshop procedures in communicating? Did changes in their levels of awareness and concern occur as a result of having participated? The workshop was designed to define the threats posed by earthquakes and groundfailure in Puerto Rico, describe current capabilities for responding to geologic hazards in Puerto Rico, develop strategies to increase awareness and concern, and aid in the formation of plans to incorporate geologic information into local land use and emergency plans.

Responses were elicited on a five-point scale, 1 and 2 representing the lowest level of agreement, 3 moderate agreement, and 4 and 5 highest agreement, or a "yes" response (see Table 1). Since not all respondents answered all the questions, percentages are based only on those who submitted evaluations (see Table 2).

Evaluations returned by 55 participants indicate that the workshop was successful in meeting its goals. Eighty-two percent of the evaluators thought the workshop did a good job of defining the earthquake threat; 78% also thought that the workshop did a good job in defining the ground-failure hazard in Puerto Rico. The workshop's role in formalizing plans to increase awareness and concern for earthquake and other geologic hazards and to incorporate geologic information into planning activities were both well received. Over 50% of the respondents found the workshop successful in its description of earthquake response capabilities; 25% thought it moderately helpful; and 14% (the largest "low" percentage for question \$1) viewed the workshop as marginally helpful in this regard.

In order to determine in what specific ways the meeting was useful to participants, questions addressed sources of information and how they provided a better understanding of geologic hazards in Puerto Rico. Eighty percent of the respondents gave the workshop high marks for providing new sources of information or expertise, and the remaining 14% were at least moderately happy with new sources suggested by the workshop.

Certainly a major achievement of the workshop was the extent to which it gave participants an appreciation of the problems faced by decisionmakers. Again, eighty percent said that the workshop was very successful in providing a better understanding of problems faced by decisionmakers, and 14% said that it was at least moderately successful.

To indicate which activities were viewed as the most useful, participants were asked to rate formal presentations, follow-up discussions, small group discussions, informal discussions, and materials such as notebooks and abstracts. The small discussion groups received the most enthusiastic evaluation; 91% of the respondents judged them to be highly useful. Formal presentations and discussions following the formal presentations were judged highly successful by nearly 80% of the respondents. The written materials were well received, with 85% of the respondents giving them high marks. Informal discussions were seen to be a valuable part of the meeting as well.

The importance attached to this workshop is shown in the response of 98% of those submitting evaluations that they would, knowing now what to expect, most definitely wish to attend again. Not one person indicated a reluctance to take part in similar future gatherings.

The most interesting and significant impact of the workshop has been its influence on heightening levels of awareness and concern. Significant numbers of participants (27%), reported their levels of awareness prior to the workshop would have been described as "low." Thirty-five percent rated their levels of awareness as "moderate," and 36% rated them as "high" before the workshop.

Following the workshop, however, no participant felt his or her awareness was "low;" only 5% considered their awareness moderate, while 93% judged their awareness to be "high." Similarly, levels of concern were heightened significantly by participation. Before the workshop, concern was judged to have

been low by one-half of the respondents, with 22% registering moderate concern and only 25% high concern. After the workshop, participants revised their perceptions of concern significantly; only 5% defined their levels of concern as low, no one said they were moderate, and 89% said they were highly concerned about the state of earthquake preparedness in Puerto Rico.

Another important judgment of the success or failure of a workshop can be made by looking beyond the impacts it had on attitudes, to ways in which it may have affected behavior. In order to determine whether the workshop had any long-term effect on the behavior of participants, the final question asked respondents to consider actions they might take to improve the awareness and concern of others or to implement mitigation activities in Puerto Rico. Response from 33 participants to this question was strikingly uniform.

Virtually all of the respondents were planning to become involved in some type of educational activity, either among their friends and social acquaintances or their co-workers. Many stated they were going to volunteer to share their new knowledge with local service organizations (Rotary, Lions, Masonic Lodges), private schools, or their agencies or businesses through workshops or seminars, and with the general public, via the media. One participant planned to write a comprehensive article in Spanish on the nature of earthquake hazards in Puerto Rico. Civil defense personnel saw their agencies adding earthquake information to their annual training program and conducting lectures for public and private agencies. Another participant planned to propose that the local Association of Engineers and Surveyors promote and participate in earthquake education for the general public.

Of the respondents who were planning steps besides educational activities, one mentioned working to convince the Federal Emergency Management Agency to increase funding for earthquake hazards planning in Puerto Rico. Numerous other respondents planned on working on the ad hoc earthquake committee formed during the workshop. One person anticipated working to ensure the coordination of efforts of persons who volunteered for committee work. It is evident from their lengthy responses that the workshop provided enough new information to cause participants to enthusiastically begin to pass on their expanded knowledge of geologic hazards to others in Puerto Rico.

Table I Evaluations of the Workshop by Individual Participants

		10W	MED	HIGH
	are the same the same to the s	142	3	46.5
1.	Did you find the workshop to be useful for:			
	a. Defining the nature and extent of earthquake hazards in Puerto Rico?	_	8	45
	b. Defining the nature and extent of ground-failure hazards	•	•	7,7
	in Puerto Rico?	. 1	9	43
	c. Describing the current capabilities to respond to geologic	_	•	
	hazards in Puerto Rico?	. 8	14	32
	d. Formalizing plans to increase awareness and concern for			_
	earthquake and other geologic hazards?	. 2	11	39
	e. Formulating plans to incorporate geologic information in			
	land-use planning, emergency response planning, and			
	earthquake-resistant design?	. 2	11	41
2.	Did the workshop benefit you or your organization by:			
	a. Providing new sources of information and expertise you		_	
	might want to utilize in the future?		В	44
	b. Establish better understanding of the problems faced by			
	researchers and decisionmakers?	. 1	В	44
	min E 1 ab. E. 11 anima matinitain manfuls			
3.	Did you find the following activities useful: a. Formal presentations?		10	43
	b. Discussions following the formal presentations?	. 2	7	50
	c. Small discussion groups?		2	50
	d. Informal discussions during coffee breaks, lunches,		_	
	and after hours?	. 5	В	38
	e. Notebook and abstracts?		6	47
	C. ROCCOOL CILL GODDE COLOR			
4.	If the clock were turned back and the decision to attend the			
• •	workshops were given you again, would you want to attend?		1	54
5.	Should future workshops be planned to continue the work			
	initiated at this meeting?		2	49
6.	Prior to attending this workshop, I would rate my awareness			
	of the earthquake threat in the Puerto Rico as	. 15	19	20
_		_		
7.	Prior to attending this workshop, I would rate my concern about the first th	30	10	1.6
	the state-of-earthquake preparedness in the Puerto Rico as	• 45	12	14
	I now rate my awareness as		3	51
8.	Y HOM LETS BA MAGIGUESS WR	•	3	71
9.	I now rate my concern	. 3		49
				••
10.	Some stens I blan to take to increase others awareness, conce	rn. e:	nd act	vitie

^{10.} Some steps I plan to take to increase others awareness, concern, and activities to lessen the effects of potential earthquakes in Puerto Rico.

^{*}Evaluations were completed by fifty-five participants. Totals vary as not all respondents completed all questions.