

Part III

Consultants

Chapter 9

The Role of Consultants in Vector Control

Frequently, entomological and vector control consultants or teams of multidisciplinary control personnel are needed in the period following a natural disaster. The composition of such teams will depend upon the nature of the disaster and the needs of the country. In general, the team may include an entomologist, a vector control specialist, a rodent control specialist and a sanitarian. If the country has a serious malaria problem, a malariologist should be added to the team. Any individual or team should collaborate with members of epidemiological teams and existing medical and vector control staffs.

Perhaps also needed are personnel who have had practical experience and training in the assembly, calibration, operation and maintenance of vector control equipment.

The Pan American Health Organization maintains a list of experts in these fields, some of whom have had experience as consultants during natural disasters. The Organization also has a procurement unit that is experienced in handling orders for equipment and supplies, and the unit is available to assist governments in emergency situations.

Recruitment

The Pan American Health Organization and cooperating international and bilateral agencies which provide assistance to other nations have developed a system for rapidly recruiting consultants to disaster relief efforts in cooperation with other international and bilateral aid agencies. Any country that needs this type of technical collaboration should determine the exact consultant requirements such as entomologist, technical officer, sanitarian, or malariologist, and express this need to the PAHO Country Representative so that prompt action can be taken.

Briefing and Equipment

Consultants should be briefed both before and after arrival to the requesting country. The Pan American Health Organization should furnish the consultant the following information prior to departure:

- (1) The general objectives of the visit
- (2) The expected duration of the visit
- (3) Names of contacts, especially of the officers in positions of responsibility and, whenever possible, names of entomologists, vector control specialists, civilian and military public health officials, and other potential sources of assistance within the country
- (4) The status of the disaster and its relation to potential problems
- (5) The types of supplies and equipment that the consultant should take (beyond those listed in Annex II)
- (6) A list of individuals who will supply logistic requirements, such as food, transportation, shelter and communication support
- (7) A profile of the country containing information about geographic, climatic and demographic features, political and socioeconomic conditions, past communicable disease history and the public health infrastructure
- (8) Current information concerning the following:
 - (a) The vector control staff
 - (b) Vector control equipment
 - (c) Insecticides and rodenticides
 - (d) Transportation and communication systems
- (9) Information for purposes of communication, such as:
 - (a) The address, telephone, cable and telex number of the Pan American Health Organization office
 - (b) Names and addresses of hotels, especially if the consultant is to reside in an area that is not near an office of the Pan American Health Organization
 - (c) United Nations Development Program, other United Nations, and international or national agencies which operate in the country.
- (10) Information regarding passport and visa requirements, appropriate currency, airline ticket, and excess accompanied luggage allowance.

The consultant can supplement this by reviewing information about diseases, vectors and geographical conditions of the country. Possible sources of such information are libraries, newspapers, United Nations country background reports, universities, area handbooks, other consultants' reports, and individuals with past experience of the conditions in the country. Local amateur radio operators who have contacts in the country can provide valuable additional information.

The Pan American Health Organization, other international agencies and bilateral aid programs handle arrangements for travel and local contacts. They will inform their officials within the country about the consultant's arrival and request arrangements be made to meet with the appropriate national authorities.

The local contact in the Pan American Health Organization should brief the consultant about the following:

- (1) Government contacts who work in the areas of public health, agriculture, defense, and natural resources
- (2) The current status of disaster and vector or rodent problems
- (3) Past reports about vector and rodent-borne diseases, in the possession of the Pan American Health Organization or the national government
- (4) Other assistance being provided by international agencies and organizations
- (5) Nongovernmental contacts and/or other sources of information, including local pest control firms and aerial spray operators
- (6) Any recent changes in government plans
- (7) The political or economic implications of the disaster
- (8) Road conditions and the availability of ground transportation for field work
- (9) A sample of press reports about disaster conditions.

Activities of Consultant upon Arrival

We recommended that the consultant initially contact the international or bilateral agency that arranged the visit. The emergency or disaster committee with a vector control subcommittee if one exists, should then be contacted. Whatever the points of technical contact may be, it is the consultant's responsibility to obtain a clear concept of what is required to identify his designated counterpart in the government and to maintain close communication with appropriate authorities.

In most cases, the consultant will be asked to help the government assess the problem, outline control procedures and train personnel. The initial assessment may be difficult because of problems in transportation and communication. Maps and graphs prepared by the government will provide some information. However, there will be areas from which little or no information is available, and there will have to be adjustments to insufficiency of the information. There may be inventories of vector control equipment and supplies. These should be inspected as soon as possible.

Evaluation of information gathered in an early reconnaissance of the distribution, densities and stages of development of vector species is very useful. The consultant should be provided ground transportation for surveillance purposes and, if possible, the assigned vehicle should have four-wheel drive. In addition, information obtained in aerial reconnaissance can quickly provide a comprehensive overview of the areas and can give indication of possible methods of attack.

Outlining control procedures is often a difficult task. The effects of a given disaster may warrant the use of new technology to rapidly control vectors. Not all modern technology, however, is appropriate for use under all circumstances. A country may be aware of the existence of certain new types of equipment, insecticides and technology, and will seek to find out if they should be used. Sophisticated equipment may be used for the short-term relief from vector related problems. However, usual vector control methods, directed toward the larvae or the resting adults, may prove to be more effective and less expensive. Equipment that rusts on shelves kills few mosquitoes.

Recommendations and Reports

Recommendations should be practical and directed toward that which the local government actually can accomplish in vector control. However, recommendations can also assist governments in obtaining long-term goals that are only secondarily related to the natural disaster. It is worthwhile, therefore, to discuss all recommendations with members of international agencies and the government before writing them.

Reports should contain definitions of the potential for vector related problems and the current and future implications of the availability of manpower and other resources. Ongoing evaluation of the situation, as well as of training programs, is important because the primary concern in the report is that of the probability of the occurrence of future problems and future consequences. Actions that need to be undertaken at different points in time, or because the po-

tential of vector related diseases is altered, should be clearly specified. Also to be included in the report are alternative ways to respond to problems that develop in regard to staff or equipment.

An outline of ways to implement and evaluate control measures should be presented in the report, and actions to be undertaken in the event that epidemic occurs should be suggested. A discussion of logistics of control (including work schedules, geographical areas to be covered and ways to implement control of diseases that may contribute to epidemics) should be included in the report. The report should also contain an enumeration of methods of supervising the staff and a list of supplies and equipment that are needed to augment current stocks.

The report and recommendations can provide guidelines when such are lacking, and they may also be used for educational purposes. It should be noted, however, that because of the existence of divergent opinions an entire program is rarely accepted and implemented unchanged.

Follow-up

Consultants, remembering that it is the prerogative of the country to make final decisions, nevertheless, often outline actions to be taken in the future. To assist the government, the consultant should do the following:

- (1) Be certain that everyone is briefed and that the report and recommendations are discussed before they are formally presented
- (2) Inform the international organizations and country representatives of the recommendations and discuss the possibility of the organization's involvement
- (3) Ensure that the personnel who are actually entrusted with the work, as well as the administrators, understand what they are doing and why
- (4) Brief (by letter, telephone or in person) the technical staff of the international organization about the situation and the reasons for the recommendations.

Too often, at the departure gate, consultants forget the country and its problems. In the age of instant photocopies, sending occasional reprints of scientific reports, or a personal letter is an easy method to bridge gaps that international organizations find impossible. In many instances, such little extra effort can make the difference between the success or failure of the country to implement recommendations.

Training

Weaknesses in training are never more vividly manifested than during the period after natural disaster. Vector control programs are designed to meet the needs of normal circumstances in which adequate response may follow an inflexible routine. During disasters a flexibility that is often lacking is called for. In addition, extra staff is frequently required during disasters and demands for immediate actions are made. All of this leads to confusion, waste, and tactical error. Most critics will be more concerned about these aspects than about any real progress that is made. There are few solutions to this dilemma, but a good, visible training program may lessen the critics' blows.

Because most malaria and other vector control programs have on-the-job training and annual refresher courses, continual upgrading of the courses and the educational and proficiency levels of the staff will add to the success of any surveillance or control program. The consultant, while visiting the country, should be asked to perform on-the-job training (apart from formal training courses) of national staff members with whom the consultant has contact.

Part IV

Annexes

Annex I

Bibliography

1. ASSAR, M. *Guide to Sanitation in Natural Disasters*. Geneva, World Health Organization, 1971.
2. BAHMANYAR, D. C. *Plague Manual*. Geneva, World Health Organization.
3. *Biology and Control of Aedes aegypti*. Vector Topics Number 4. Atlanta, Georgia, Center for Disease Control, 1979.
4. BRAM, R. A. (compiler) *Surveillance and Collection of Arthropods of Veterinary Importance*. United States Department of Agriculture Handbook Number 518. Washington, 1978.
5. BROOKS, J. E., and F. P. ROWE. *X. Commensal Rodent Control*. WHO/VBC/79.726. Geneva, World Health Organization, 1979, pp. 108.
6. *Chemical Methods for the Control of Vectors and Pests of Public Health Importance*. Technical Report Series Number 443. Reprint. Geneva, World Health Organization, 1970.
7. *Chemistry and Specifications of Pesticides*. Technical Report Series Number 620. Geneva, World Health Organization, 1978.
8. CHIRIBOGA, J., et. al. Dengue Control during the 1977 Epidemic in Puerto Rico. In *Dengue Control in the Caribbean*. Pan American Health Organization, Scientific Publication Number 375, pp. 101-107. Washington, Pan American Health Organization, 1979.
9. CHOW, C. Y., et. al. *The Control of Aedes aegypti-borne Epidemics*. WHO/VBC/77.660. Geneva, World Health Organization, 1977.
10. *Control of Dengue*. Vector Topics Number 2. Atlanta, Georgia, Center for Disease Control, 1979.
11. *Control of Western Equine Encephalitis*. Vector Topics Number 3. Atlanta, Georgia, Center for Disease Control, 1978.
12. *Engineering Aspects of Vector Control Operatives. First Report of the WHO Expert Committee on Vector Biology and Control*. Technical Report Series Number 603. Geneva, World Health Organization, 1976.
13. *Environmental Management of Vector Control*. Technical Report Series Number 649. Geneva, World Health Organization, 1980.
14. HARWOOD, R. F., and M. I. JAMES. *Entomology in Human and Animal Health*. 7 ed. New York, Macmillan Publishing Co., 1979.

15. HORSFALL, W. R. *Mosquitoes Their Bionomics and Relation to Disease*. New York, Ronald Press Co., 1955.
16. HUNTER, G. W., J. C. SWARTZWELDER, and D. F. CLYDE. *Tropical Medicine*. 5 ed. Philadelphia, Pennsylvania, W.B. Saunders Co., 1976.
17. *Manual de Lucha Antilarvaria en los Programas de Malaria*. Translated from *Manual on Larval Control Operations in Malaria Programs*. Geneva, World Health Organization, 1973, Washington, Pan American Health Organization, 1977.
18. *Manual for the Microscopic Diagnosis of Malaria*. 3 ed. Pan American Health Organization, Scientific Publication Number 161, Washington, 1968
19. *Manual on Larval Control Operations in Malaria Programs*. WHO Offset Publication Number 1. Geneva, World Health Organization, 1973.
20. *Manual of Operations for an Aedes aegypti Eradication Service. Part II. Manuals of Instruction*. Revised version. (Mimeograph) Washington, Pan American Health Organization, 1975.
21. *Manual on Practical Entomology in Malaria. Part I. Vector Bionomics and Organization of Anti-malaria Activities*. WHO Offset Publication Number 13. Geneva, World Health Organization, 1975.
22. *Manual on Practical Entomology in Malaria. Part II. Methods and Materials*. WHO Offset Publication Number 13. Geneva, World Health Organization, 1975.
23. MASON, J. and P. CAVALIE. Malaria epidemic in Haiti following a hurricane. *American Journal of Tropical Medicine and Hygiene* 14 (4)/533 (1965).
24. MATTINGLY, P.F. *The Biology of Mosquito-borne Disease*. New York, American Elsevier Publishing Co., 1969.
25. *Modern Mosquito Control*. 5 ed. Princeton, New Jersey, American Cyanamid Company, 1977.
26. MUIRHEAD-THOMSON, R.C. *Ecology of Insect Vector Populations*. London, Academic Press, 1968.
27. *Operation Manual for the Ultra-low Volume Application of Ortho Dibrom 14 Concentration*. San Francisco, California, Cevron Chemical Co., 1975.
28. *Proceedings of the International Symposium on the Control of Lice and Louse-borne Disease*. Scientific Publication Number 263. Washington, Pan American Health Organization, 1973.
29. *Resistance of vectors and reservoirs of disease to pesticides. Twenty-second Report of the WHO Committee on Insecticides*. Technical Report Series Number 585. Geneva, World Health Organization, 1976.
30. *Resistance of Vectors of Disease to Pesticides*. Technical Report Series Number 655. Geneva, World Health Organization, 1980.
31. *Safe use of pesticides. Third Report of the WHO Expert Committee on Vector Biology and Control*. Technical Report Series 634. Geneva, World Health Organization, 1979.
32. SERVICE, M. M. *Mosquito Ecology Field Sampling Methods*. London, Applied Science Publications, 1976.
33. SHOLDT, L. L., et. al. *The Epidemiology of Human Pediculosis in Ethiopia*. Naval Disease Vector Ecology and Control Center Special Publication. Jacksonville, United States Navy, 1979.
34. SMITH, K. G. V., (ed.) *Insects and Other Arthropods of Medical Importance*. London, British Museum, 1973.
35. *Vector Control in International Health*. Geneva, World Health Organization, 1972.

Annex II

Suggested Vector Surveillance Equipment and Supplies

Collecting bag	Collecting forms
Mouth or battery powered aspirators	Tea strainer
Flashlight and spare batteries	Grease pencil
Memo pad	Sweep net
Pencil	Tweezers
White enameled dipper	Keys and other references
Labels	CDC light traps (optional)
Collecting vials	<i>Aedes aegypti</i> ovitraps (optional)
Bulb syringe or medicine dropper	Fly grill
Mirror	

Suggested Rodent Surveillance Equipment and Supplies

Teaching aids	Transfer bags
Plastic bags	Vials
Plastic cups	Alcohol
Rubber bands	Forceps
Scissors	Insecticide dusting pan
Snap traps	Formaldehyde
Live traps	Acute rodenticides
Gloves	Anticoagulant rodenticides
Flashlights and batteries	

Annex III

Pesticides and Applications for the Chemical Control of Vectors, Rodents and Pests*

Type of Application	Pesticide and Application		Remarks
Ants; General			
Residual indoors	propoxur	1.0%	See control recommendation for cockroaches.
	diazinon	0.1%	
	bendiocarb	0.25%	
Bed Bugs <i>cimex</i> sp.			
Rooms, beds or furniture (also chicken nests for source)	malathion	1.0%	Apply lightly to mattress surfaces and more heavily to bed frame. Allow to dry before using. Never apply to children's crib
	ronnel	1.0% E	
	dichlorvos	0.5% E	
	diazinon	0.5% E	
Cockroaches			
Enclosed spaces as kitchens, pantries or storerooms	1. Residual sprays in oil solutions or emulsion concentrates		Apply to hiding places and runways, use a spray and not a mist. Pay attention to warm humid places. Do not treat where children are likely to contact surfaces.
	a. propoxur	1.0%	
	b. chlorpyrifos	0.5%	
	c. bendiocarb	0.25-0.5%	
	d. diazinon	0.5%	
	e. dichlorvos	0.5%	
	f. malathion	5.0%	
	g. ronnel	2.0%	
	2. Powders in inert dusts		Pyrethrins have been used as a ULV at 3-5% in unoccupied areas
	a. boric acid	90-99%	
	b. silica aerogel	100%	
	c. diazinon	2.0-5.0%	
	d. malathion	4.0-5.0%	
	3. Baits		
	a. chlorpyrifos	0.5%	
	b. propoxur	2.0%	

Type of Application	Pesticide and Application	Remarks
Fleas		
1. Rooms	1. Solutions in kerosene, fuel oil or in emulsion concentrates <ul style="list-style-type: none"> a. bendiocarb 0.25% b. malathion 2.0% c. ronnel 1.0% d. diazinon 1.0% e. lindane 1.0% 2. Powders in inert dusts <ul style="list-style-type: none"> a. diazinon 2.0% b. malathion 4.0-5.0% c. carbaryl 5.0% d. lindane 1.0% 3. DDT 10.0%	Spray floor and baseboards and walls to a height of 10 cm Avoid inhalation and contamination of food.
2. Animals	1. Powders of inert dusts <ul style="list-style-type: none"> a. malathion 4.0% b. rotenone 1.0% c. pyrethrins 0.2% plus 2.0% synergist d. carbaryl 5.0% e. lindane 1.0% f. DDT 5.0% 	Apply dust to domestic animals with small duster. Do not apply DDT, or lindane to cats or puppies.
Filth Flies, adults		
1. Enclosed spaces, e.g. houses and barns	1. Space sprays or aerosols in oil solutions or emulsion concentrates (<i>Spray into air for 4 sec/10m³ when using aerosol bombs</i>): <ul style="list-style-type: none"> a synergized pyrethrins 0.1% b. dichlorvos 0.5% c. ronnel 2% d. malathion 5% 2. Residual contact sprays in oil solutions, emulsion concentrates or wettable powders (<i>Apply 1% solutions at 10-20 l/100m² and 5% solutions at 2-4 l/100m² to give dosages of 1-2 g/m².</i>) <ul style="list-style-type: none"> a bromophos 1-5% b ronnel 1-5% c fenitrothion 1-5% d iodfenphos 1-5% e trichlorfon 1-5% f diazinon 1-2% (<i>Apply at 4 l/100m² to give dosages of 0.4 or 0.8 g/m²</i>)	Space sprays have no long-lasting effects and must be applied frequently. Avoid contamination of food or food processing equipment. Treat garbage, refuse, manure and other fly breeding sites. Can be used also in milk-rooms, restaurants and food stores Same as above

Type of Application	Pesticide and Application	Remarks
	g. dimethoate 1-2% (Apply 8 l/100m ² to give dosages of 0.8 or 1.6 g/m ² .)	Animals must be removed. Not to be used in milk-rooms.
	h. malathion 5% (Apply 2-4 l/100m ² to give dosages of 1 or 2 g/m ² .)	Only premium grade malathion can be used in milk-rooms and food processing plants.
	i. naled 1% (Apply at 4-8 l/100m ² to give dosages of 0.4-0.8 g/m ² .)	Not to be used in milk-rooms. At 0.25% strength can be applied to chicken roosts, nests, etc. without removing the birds.
	3. Baits containing insecticides and sweetening agents as sugar, malt or molasses. Dry baits contain 1-2% and wet baits 0.1-0.2% of insecticide. (Apply 60-120g/100m ² of dry bait or sprinkle the liquid bait at the rate of 4 l/100m ² .)	Fly baits should not be used inside dwellings. Care should be taken that they are not placed where children or domestic animals can easily come into contact with them.
	a. diazinon b. dichlorvos c. dimethoate d. ronnel e. malathion f. naled	
2. Outdoor space-treatment	Emulsion or fuel oil formulations are applied at the following dosages. (g/ha) a. diazinon 336 b. dichlorvos 336 c. dimethoate 224 d. ronnel 148 e. fenthion 448 f. malathion 672 g. naled 224	The listed organophosphorus compounds used as emulsion or fuel oil formulations are applied at rates of 24-48 l/km to obtain the required dosage. Also, ULV applications from the ground, with bioresmethrin at 10g/ha have been found effective.
3. Aircraft	Aerosols Resmethrin, bioresmethrin or d-phenothrin 2% + 98% Freon 11 + Freon 12 (1:1) as propellant. (Spray into air from aerosol canister for 10 sec/100m ³ .)	Approximate cabin volumes of aircraft are: Boeing 747: 2800m ³ : 3800m ³ Boeing 707: 800m ³ DC-9: 345m ³ DC-8: 800m ³

Type of Application	Pesticide and Application		Remarks
Fly larvae			
1. Outdoors by spraying manure and refuse, human-excrement	Sprays applied as emulsions concentrate or wettable powders. (<i>Thoroughly spray decaying vegetation, manure and refuse at 28-56 l/100m². Pay particular attention to animal manure, privies and garbage. In addition to the insecticides listed, ronnel fenitrothion, fenitron and trichlorfon can be applied as finished sprays at concentrations from 0.25-2.5%.</i>) a. diazinon 1% b. dimethoate 1% c. malathion 1-2% d. dichlorvos 0.5% e. ronnel 1%		Applications must be made once or twice each week to maintain good control
Lice			
1. Head	Lindane	1.0% ointment or shampoo	Keep out of eyes and mucous membranes
2. Body	Lindane	1% dust or shampoo	Sterilize clothing and bed clothes by laundering
3. Pubic	Lindane	1.0% ointment or shampoo Benzyl benzoate emulsion 25% (Pediculosis of eyelashes may be treated with 0.25% physostigmine ophthalmic ointment twice daily or a vaseline ointment containing pyrethrins may be used)	Do not apply to eyelashes Apply by spray or hand.
Mites: Chiggers, etc.			
Clothing	1. Mosquito repellents toxic to mites: a. diethyltoluamide (DEET, OFF) b. dimethyl phthalate c. benzyl benzoate		Keep out of eyes Damages some plastics
Outdoor vegetation	1. Residual as wdp or powders in inert dusts: a. chlorpyrifos b. diazinon c. lindane d. chlordane e. toxaphene		Spray plants thoroughly. Check label for dosage. Keep children away until spray dries.

Type of Application	Pesticide and Application	Remarks
Scabies		
Body	1. Lindane 1.0% cream, lotion or shampoo.	Keep away from eyes and mucous membranes.
	2. Benzyl benzoate (25%).	Do not apply to head. Do not overtreat
Mosquito adults		
1 Enclosed spaces in buildings, as barracks, rooms, barns	1. Aerosols Pyrethrins 0.25% + piperonyl butoxide or sulfoxide 2%. (<i>Spray into air from aerosol canister for 4 sec/100m³.</i>)	
	2 Space sprays <ul style="list-style-type: none"> a. naled 1% b. malathion 2-5% c. resmethion 1-2% d. dichlorvos e. methoxychlor 	
	3. Residual fumigant: Dichlorvos dispensers, containing 20% of toxicant are suspended in enclosed spaces at one dispenser per 14-28m ³ . (<i>Spray on interior walls and ceiling of building (1 1/25m²).</i>)	
	4 Residual contact sprays in oil solutions, emulsion concentrates or wettable powders. <ul style="list-style-type: none"> a. DDT 5% b. methoxychlor 5% c. lindane 0.5% d. malathion 3-5% e. fenitrothion 1-2% f. propoxur 0.5-1% g. chlorphoxim 3-5% h. pirimiphos-methyl 2-3% i. permethrin 0.5% 	
2. Aircraft	Aerosols Resmethrin, Bioresmethrin or D-phenothrin 2%. (<i>Spray into air from aerosol canister for 10 sec/100m³</i>)	Approximate cabin volumes of some aircraft are: Boeing 747. 2800m ³ 3800m ³ Boeing 707. 800m ³ DC-9 345m ³ DC-8 800m ³

Type of Application	Pesticide and Application	Remarks
3. Outdoors-exterior space treatment	Applications from aircraft, mistblowers or thermal aerosol machines as oil solutions or emulsion concentrates: a. malathion 100-500 g/ha b. fenitrothion 200-400 g/ha c. fenthion 112 g/ha d. naled 56-280 g/ha e. chlorpyrifos 10-40 g/ha f. pyrethroids	These sprays usually furnish immediate but only temporary relief. High volume thermal fogging may be preferable when vegetation is dense
Mosquito larvae		
1 Potable water receptacles around houses (<i>Aedes aegypti</i>)	Temephos only is currently used. In treating containers with drinking water temephos 1% sand granules are applied by a measured plastic spoon at 1 mg/l (e.g. 1 g of granules for 10 liters of the volume of container—whether full of water or not).	
2 Streams, lakes, swamps, pools, ruts and non-potable water containing receptacles around houses	Applications from aircraft or ground equipment as emulsions, wettable powders, solutions or granules: a. chlorphoxim 100 g/ha b. chlorpyrifos 56-100 g/ha c. fenitrothion 100-3000 g/ha d. fenthion 22-112 g/ha e. iofenphos 50-100 g/ha f. malathion 224-1000 g/ha g. methoprene 100-1000 g/ha h. Paris green 850-1000 g/ha i. phoxim 100 g/ha j. temephos 56-400 g/ha k. fuel oil 142-190 l/ha l. larvicidal oil 19-47 l/ha m. methoprene	Do not use insecticides on water intended for drinking by humans or animals. Use all materials with care to avoid hazards to fish and wildlife. Granular formulations are more suitable for penetrating heavy vegetative cover than solution or emulsion concentrates. Higher doses are necessary in highly polluted water and by residual and pre-hatch treatment.
Scorpions and centipedes		
Rooms	Residual sprays as EC, wdp or powders in inert dusts. a. diazinon 0.5% b. bendiocarb 0.25% c. malathion 3.0% d. lindane 0.5% liquid 1.0% dust	Make spot applications such as baseboards, windows, wall cracks, openings around water pipes, underneath sinks, corners. Also can treat ground and outbuildings.

Type of Application	Pesticide and Application	Remarks
Spiders		
Black widow, Brown, etc.		
Residual indoors, outbuildings, and around houses, stores, etc.	1. Residual sprays as EC or wdp. a. bendiocarb 0.25% b. chlorpyrifos 0.25-0.5% c. diazinon 0.5% d. propoxur 1.0% e. malathion 2.0% f. lindane 0.2-0.5%	Do not use as space spray. Treat as for scorpions and centipedes. Watch out for falling spiders as they sometimes bite.
Ticks (most species)		
1. Animals	1. Washes, sprays or dips as emulsions a. malathion 0.5% b. rotenone 0.05% c. lindane 0.05%	Use indicated concentrations for washes or sprays but reduce to half for dips.
2. Buildings	1. Residuals in oil solutions or E.C.: a. propoxur 1.0% b. diazinon 0.5% c. chlorpyrifos 0.5% d. bendiocarb 0.25% e. malathion 2.0% f. carbaryl 2.0% g. lindane 0.5%	Treat floors and wall cracks, between and under cushions of upholstered furniture. Keep away from children and pets until dry.
3. Outdoors vegetation	1. Residual sprays in E.C., wdp or inert dusts. a. tetrachlorvinphos b. carbaryl c. dieldrin d. chlordane e. lindane	Control where needed. Follow instructions on label.
Triatominae		
House and furniture	1. Residual wdp and E.C.: a. HCH 1.0% b. fenitrothion 2.0% c. malathion 2.0%*	Treat ceiling and walls of houses and furniture when necessary.
	*not for <i>R. prolixus</i>	

Type of Application	Pesticide and Application		Remarks
Repellents for flies, mosquitoes, gnats, mites, black-flies, sand-flies, fleas, and ticks			
Exposed surfaces of body and clothes	1. Diethyltoluamide (OFF, DEET) (<i>Application on skin. Shake 1/2 teaspoonful into palm of hand; rub hands together and then apply in thin layer to face, neck, ears, hands and wrists. Do not get into eyes and mouth. On clothes, spray or apply by hands. Effective for a number of days. Best all-around repellent.</i>)		Nontoxic. Avoid eyes and mucous membranes.
	2. Dimethylphthalate (<i>Particularly effective against Anopheles and larval mites (chiggers). Use same as above (1).</i>)		Same as above.
	3. Indalone (<i>Same as (1) above. Best use against biting flies.</i>)		Same as above.
	4. 2-ethyl hexanediol—1,3 (repellent 612) (<i>Same as (1) above. Particularly effective against Aedes.</i>)		Same as above.
Rodents			
Domestic rats and mice			
Baits	brodifacoum (Talon) ¹	0.005% bait	Single dose anticoagulant. Effective against warfarin-resistant Norway rats. Formulated as grain-based pellets.
	diphacinone (Diphacin) ¹	0.005% bait	Anticoagulants. Various brands are formulated as ready to use baits, paraffinized blocks and pellets, concentrates, and as tracking powders. Also available as liquid baits.
	coumataryl (Fumarin) ¹	0.025% bait	Use both liquid and dry baits where possible. Expose liquid bait in glass or plastic chicken watering devices.
	pivaldione (Pival) ¹	0.025% bait	
	warfarin	1.0% bait	
	warfarin	0.025% bait	

Type of Application	Pesticide and Application		Remarks
	chlorophacinone (Rozol Hot shot) ¹	0.025% bait	
	zinc phosphide	1-2% bait	Single dose poison. Mix toxicant with fresh bait materials (corn meal, fish, meat, fruit) Do not use food attractive to children.

¹ Common or genetic names begin with a small letter, trade or other names are in parentheses. No discrimination against similar products is intended.

*Information from WHO publications, *Pocket Guide to Pest Management* (US Navy) and *Tropical Medicine* 5th Edition (Hunter, Swartzwelder and Clyde). Mention of specific companies or manufacturers' products does not imply that they are recommended by the Pan American Health Organization.

Annex IV

Guide to Insecticides, Rodenticides and Equipment

Insecticides

Abate (temephos)

American Cyanamid Company
Berdan Avenue
Wayne, NJ 07470
Telex: 130400
Tel: (201) 831-1234

Southern Mill Creek Products
P.O. Box 1096
Tampa, FL 33601

Actellic (pirimiphos - methyl)

ICI Americas Inc.
Agricultural Chemical Division
Wilmington, DE 19897

Imperial Chemical Industries
Plant Protection Division
Farnhurst
Haslemere

Surrey, England GU27 3JE
Telex: 858270 Ic. pp Farnhurst
Tel. Haslemere (0428) 4061
Tel. Somerset Court (0428) 4061
Cable: Plantecton

Altosid (methoprene)

Zoecon Industries
975 California Avenue
Palo Alto, CA 94304
Telex: 345-550
Tel: (415) 329-1130

Baygon (propoxur)

Mobay Chemical or Chemagro Corp.
P.O. Box 4913
Hawthorn Road
Kansas City, MO 64120
Tel: (816) 242-2000
Cable: KEMAGRO, Kansas City

Johnson Wax Company

1525 Howe St.
Racine, WI 53403
Telex: 264429
Tel: (414) 554-2000
Cable: JON WAX RON, Wisconsin

Baytex (fenthion)

Mobay Chemical or Chemagro Corp.
P.O. Box 4913
Howthorn Road
Kansas City, MO 64120
Tel: (816) 242-2000
Cable: KEMAGRO, Kansas City

Baythion (phoxim)

Bayer AG
Pflanzenschutz
509 Levenkusen Bayerwerk
Federal Republic of Germany
Telex: 8510881
Tel: 02172-301
Cable: BAYER

Baythion C (chlorophoxim)

See *Baythion Chlordane*
Velsicol Chemical Corporation
341 East Ohio St.
Chicago, IL 60611
Telex: 910-221-5738
Tel: (312) 670-4500

Cyanophos (Cyanox)

Sumitomo Chemical America, Inc.
345 Park Avenue
New York, NY 10022
Telex: 640249
Tel: (212) 935-3813

Cygon (dimethoate)

American Cyanamid Company
See *Abate*

Cythion (malathion)

American Cyanamid Company
See *Abate*

Diazinon

Ciba-Geigy Corporation
P.O. Box 11422
Greensboro, NC 27409
Tel: (919) 292-7100

Ciba-Geigy International AG

Postfach 4002
Basel
Telex: 62991
Tel: 061/361111

Markteshim Chem Works Ltd.

Box 60
Beer Sheva, Israel

Pennwalt Chemical Corporation

1630 East Shaw Ave.
Fresno, CA 93710

Thompson-Haywood Chemical Co.

5200 Speaker Road
Kansas City, KS 66110
Tel: (913) 321-3131

Dibrom (naled)

Chevron Chemical Com.
Ortho Division
575 Market Street
P.O. Box 3744
San Francisco, CA 94105
Tel: (Orlando, Florida)
(305) 288-0414
Tel: (San Francisco, CA)
(415) 894-7800

Dimetilan

Ciba-Geigy Ltd.
P.O. Box 11422
Greensboro, NC 27409
Tel: (919) 292-7100

Dimilin (diflubenzuron)

Thompson-Hayward Chemical Co.
5200 Speaker Road
Kansas City, KS 66110
Tel: (913) 321-3131

Dursban (chlorpyrifos)

Dow Chemical Co.
P.O. Box 1706
9008 Building
Midland, MI 48040
Tel: (517) 636-2231

Thompson-Hayward Chem Co
5200 Speaker Road
Kansas City, KS 66110
Tel: (913) 321-3131

Fenitrothion (Sumithion)

Sumitomo Chemical America, Inc.
345 Park Avenue
New York NY 10154
Telex: 232 489 (RCA)
Tel: (212) 935-7000

Bayer AG
Pflanzenschutz
509 Levenkusen Bayerwerk
Federal Republic of Germany
Telex: 8510881
Tel: 02172-301
Cable: BAYER

Ficam (bendiocarb)

BFC Chemicals, Inc.
4311 Lancaster Pike
P O Box 2867
Wilmington, DE 19805
Tel: (302) 575-7847

Fison Inc.
Ag Chemicals Div.
2 Preston Court
Bedford, MA 07130
Telex: 951-253
Tel: (617) 275-1000

Fisons Ltd.
Fison House
9 Grosvenor Street
London W1X0AH, UK
Telex: 263184
Tel: (01) 493-1611

Flit MLO

Exxon Company
P.O. Box 21801
Houston, TX 77001
Tel: (713) 656-3636

Heptachlor

Velsicol Chemical Corporation
341 East Ohio St.
Chicago, IL 60611
Telex 910 221-5738
Tel: (312) 670-4500

Iodofenphos

Rentokil Ltd
Export Product Division
Felcourt East Grinstead
West Sussex
England RH 19 104

Lindane

Hooker Chemical Co
P.O. Box 344
1042-7 Iroquois Ave.
Niagara Falls, NY 14302
Telex: 91-575
Tel: (716) 278-9000

All India Medical
185 Princess Street
Mulji Jetha Bldg.
Bombay, India 400 002

Thompson-Hayward Chemical Co
5200 Speaker Road
Kansas City, KS 66110
Tel: (913) 321-3131

Malathion

American Cyanamid Company
Berdan Avenue
Wayne, NJ 07470
Telex: 130400
Tel: (201) 831-1234

All India Medical
185 Princess Street
Mulji Jetha Bldg
Bombay, India 400 002

Sumitomo Chemical America, Inc.
345 Park Avenue
New York, NY 10154
Telex: 232489 (RCA) SUMISHO
Tel: (212) 935-7000

Thompson-Hayward Chemical Co.
5200 Speaker Road
Kansas City, KS 66110
Tel. (913) 321-3131

Mesuro (methiocarb)
Mobay Chemical or Chemagro Corp.
P.O. Box 4913
Howthorn Road
Kansas City, MO 64120
Tel: (816) 242-2000
Cable: KEMAGRO, Kansas City

Methoxychlor
E.C. DuPont de Nemours
Chemical Dyes and Pigment Dept.
1007 Market Street
Wilmington, DE 19898

Nexion (bromophos)
Celamerck GmbH and Co.
P.O. Box 202
6507 Ingelheim am Rhein
West Germany

Permethrin
Shell International
Chemical Co (*talcord*)
Agro-Chem. Division
Shell Center
London S.E. 17PG England
Telex: 919651
Tel: 01-934-1234
Cable: CHEMISHELL
London SE 1

Imperial Chemical Industries
Plan Protection Division
Fernihurst
Haslemere
Surrey, England GU27 3JE
Telex: 858270 I.C.I. Fernhurst
Tel. Haslemere (0428) 4061

Fairfield American Corporation
3932J Salt Road
Medina, NY 14103
Tel: (716) 798-2141

McLaughlin Gormley King and Co
8810 10th Avenue, North
Minneapolis, MN 55427
Telex: 290-544
Tel. (612) 544-0341

Wellcome Industrial (coopex)
Ravens Lane
Berkamsted
Herts, England HP4 2DY

Cooper Pegler and Co. Ltd.
Burgess Hill
Sussex RH159LA, UK
Tel: Burgess Hill 42526
Cables: 87354 COOPEG G

d-phenothrin
McLaughlin Gormley King and Co
(Multicide)
8810 10th Avenue, North
Minneapolis, MN 55427
Telex: 290-544
Tel: (612) 544-0341

Sumitomo Chemical America, Inc
(Sumithrin)
345 Park Avenue
New York, NY 10154
Telex 232489 (RCA)
Tel: (212) 935-7000

Piperonyl Butoxide

Fairfield American Corporation
3932J Salt Road
Medina, NY 14103
Tel: (716) 798-2141

McLaughlin Gormley King
and Company
8810 10th Avenue, North
Minneapolis, MN 55427
Telex: 290-544
Tel: (612) 544-0341

Pyrethrins

McLaughlin Gormley King
and Company
8810 10th Avenue, North
Minneapolis, MN 55427
Telex: 290-544
Tel: (612) 544-0341

Fairfield American Corporation
3932J Salt Road
Medina, NY 14103
Tel: (716) 798-2141

S.B. Penick and Company
1050 Wall St., West
Lyndhurst, NJ 07071
Telex: 133525
Tel: (201) 935-6600
673-1335

Prentiss Drug and Chemical
363 Seventh Avenue
New York, NY 10001

Pyrethrins (encapsulated) (sectrol)

3M Company
J.F. Piper/Industrial Tape Division
Building 220 3M Center
St. Paul, MN 55101

Resmethrin

S.B. Penick and Company (SBP-1382)
1050 Wall Street, West
Lyndhurst, NJ 07071
Telex: 133525
Tel: (201) 935-6600
673-1335

Fairfield American Corporation
(Synthrin)
3932J Salt Road
Medina, NY 14103
Tel: (716) 798-2141

Sumitomo Chemical America, Inc.
345 Park Avenue,
New York, NY 10154
Telex: 232489 (RCA)
Tel: (212) 935-7000

Rotenone

S.B. Penick and Company
1050 Wall Street, West
Lyndhurst, NJ 07071
Telex: 133525
Tel: (201) 935-6600
673-1335

Sevin (carbaryl)

Union Carbide Corporation
7825 Bay Meadow Way
Jacksonville, FL 32216
Telex: 510661 2634
Tel: (904) 731-4250

Toxaphene

BFC Chemicals Inc.
P.O. Box 2867
Wilmington, DE 19805
Tel: (302) 575-7858

Hercules Inc.
910 Market Street
Wilmington, DE 19899
Tel: (302) 575-5000

Vapona (DDVP, dichlorvos)
 All India Medical
 185 Princess Street
 Mulji Jetha Bldg.
 Bombay, India 400 002

Shell Chemical Company
 1 Shell Plaza
 P.O. Box 2463
 Houston, TX 77001

Markteshim Chemical Warks Ltd.
 Box 60
 Beer Sheva, Israel

Insect Repellents

Deet (diethyl toluamide)
 Cutter Laboratories
 2200 Powell Street
 Emeryville, CA 94608

Dimelone (dimethyl carbate)
 Fairfield American Corporation
 3932J Salt Road
 Medina, NY 14103
 Tel: (716) 798-2141

McLaughlin Gormley King Co.
 8810 10th Avenue, North
 Minneapolis, MN 55427
 Telex: 290-544
 Tel: (612) 544-0341

Dimethyl phthalate
 Eastman Chemical Products, Inc.
 P.O. Box 431
 Kingsport, TN 37664
 Telex: 55-34-50
 Tel: (615) 240-2111

Hills Pet Chemicals Inc.
 P.O. Box 660656
 Miami Springs, FL 33166

MGK 11, 326, 874
 McLaughlin Gormley King and Co.
 8810 10th Avenue, North
 Minneapolis, MN 55427
 Telex: 240-544
 Tel: (612) 544-0341

Dibutyl phthalate
 Eastman Chemical Products, Inc.
 P.O. Box 431
 Kingsport, TN 37664
 Telex: 55-34-50
 Tel: (615) 246-2111

Tabatrex (dibutyl succinate)
 Glenn Chemical Co. Inc.
 4149 Milwaukee
 Chicago, IL 60641

Insecticide Application Equipment

Fogger, Thermal

Burgess Vibrocrafters
 RT 83
 Grays Lake, IL 60030
 TWA 910-651-2531
 Tel: (312) 223-4821
 Cable: VBE Grays Lake

Curtis Dyna-Products Corporation
 (Dyna-Fog)
 P.O. Box 297
 Westfield, IN 46074
 Tel: (317) 896-2561

J. Hofman Overseas USA,
(Dynafo)g
P.O. Box 318
Carmel, IN 46032

London Fog Co.
505 Brimhall
Long Lake, MN 55356
Tel (612) 473-5366

Motan GMBH
(Swingfog)
P.O. Box 1260
Max-Eyth-Weg 42
D-7972 Isny, W. Germany
Telex: 7321 524
Tel 07562-6/6
Cable: Motan ISNY

Lowndes Engineering Co.
125 Blanchard St. Box 488
Valdosta, GA 31601
Telex: LECO VALD 810-786-5861
Tel: (912) 242-3361
Cable: LECO VALD

Ultra-low volume Devices

AFA Corp. of Florida
(Fogmaster)
14201 NW 60th Ave.
Miami Lakes, FL 33014

Amdreas Stojl Maschinefabrik
Postfach 1760
7050 Walblingen - Neustadt
West Germany

Beemer Products Company
(Ground ultra-low volume sprayers)
FT Washington, PA 19034
Tel: (215) 646-8440

Public Health Equipment
and Supply Co.
P.O. Box 10454
San Antonio, TX 78210
Tel. (512) 532-6351

Dr. Stahl & Son
(Pulsfog)
P.O. Box 1227
Uberlingen D-777
West Germany

Tifa (CI) Ltd.
50 Division Avenue
Millington, NJ 07946
Telex: 136340
Tel: (201) 647-4570 and 647-4573
Cable: TIFA Stirling

Buffalo Turbine
(Mity Moe: SONIC ultra-low volume)
Agricultural Equipment Co., Inc.
70 Industrial St.
Gowanda, NY 10470
TWA 716-532-2210
Tel: (716) 532-2272

FMC Corp: John Bean Div.
516 Dearborn St.
Tipton, TN 46072

Gerbruder Holder, BmbH and Co
(Holder)
P.O. Box 66
D7418
Metzingen, West Germany
Telex: 7245319
Tel: 07123-2036

H.D. Hudson MFG Co.
(Porta-pak^R, Compression Sprayers
and Dusters)
500 North Michigan Avenue
Chicago, IL 60611
Tel: (312) 644-2830

Hatsuta Suzuki Industrial
(Hatsuta Mistblower)
Av. Monteiro Lobato 2700
Caixa Postal 9
Guarulhos 0700, Sao Paulo, Brazil
Cable: HATSUMEC
Tel: PABX 209-2133
Telex. HABR 1125046

Hatsuta Industrial Co. Ltd.
4-39, I-Chrome Chifune
Nishiyodogawa-ku
Osaka, Japan

Kioritz Corporation
P.O. Box 10
M. Taka
Tokyo, Japan

Kioritz Corporation
350 Wainwright
North Brook, IL 60062

Maruyama Manufacturing Co. Ltd.
4-15, Uchi-Kanda, 3-Chome
Chiyoda-ku
Tokyo, Japan

London Fog Company
505 Brimhall
Long Lake, MN 55356
Tel: (612) 473-5366

Lowndes Engineering Company
125 Blanchard St. Box 488
Valdosta, GA 31601
Telex: LECO VALD 810-786-5861
Tel: (912) 242-3361
Cable: LECO VALD

Micro-Gen Equipment Corporation
10700 Sentinel Drive
San Antonio, TX 78217
Telex: 9108711000
Tel: (512) 654-8570
Cable: MCROGEN

Micron West Inc.
(ULVAFAN^R portable)
8582 Katy Freeway
P.O. Box 19698
Houston, TX 77024
Telex: 792911
Tel: (713) 932-1405
Cable: MICRONW HOV

Motan GMBH
(Fontan)
P.O. Box 1260
Max-Eyth-Weg 42
D-7972 Isny, Germany
Telex: 7321 524
Tel: 07562 - 6/6
Cable: Motan ISNY

Public Health Equipment & Supply
(London Aire)
P.O. Box 10458
San Antonio, TX 78210
Tel: (512) 532-6351

Root-Lowell Corporation
1000 Foreman Road
Lowell, MI 49331
Tel: 1-800-253-4342

San Mar Tool & Equipment Company
(Root & Lowell)
50 Broadway
New York, NY 10004
Tel: (212) 797-1382

Solo Incorporated
5100 Chestnut
Box 5030
Newport News, VA 23605
Telex: (710) 823 644
Tel (804) 245-4228

Solo Canada Caribbean
Deppe Ag-Tec.
Box 464
Burlington, Ontario L7R 3Y3
Canada

Turbair
(ULV Spraying Systems)
Britannica House
Waltham Cross
Herts, England
Telex. 23957
Tel: Lea Valley (0992) 7633008

Vandermolen Corporation
(KWH-44 Mistblower)
119 Dorsa Avenue
Livingston, NJ 07093

Wambo Co. Ltd.
Postfach 102606
D-8900 Augsburg 1
West Germany

Whitmire Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122

Yanmar Diesel Engine Co. Ltd.
(ULV Knapsack)
1-11-1 Marunouchi, Chiyodo-Ku
Tokyo, Japan
Telex: TOK 0220-2310
Cable: YANMAR TOKTU

Sprayer-Hand Compression

B & G Equipment Co.
Applebutter Road
Plumstead, PA 18949
Tel: (215) 766-8811

Blue Spruce International
(Pesticide Equipment
& Insecticide Supplies)
1390 Valley Road
Stirling, NJ 07980
Telex: 136340
Tel: (201) 647-4570
Cable: TREE Stirling

Champion Sprayer Co
6581 Heintz Ave.
Detroit, MI 48211

Clarke Outdoor Spraying Co.
(Pesticide Equipment Supplies)
P.O. Box 288
Roselle, IL 60172
Tel: (312) 894-2000

Flow Dynamics Inc.
1333 State College Parkway
Anaheim, CA 92806

H.D. Hudson Mfg. Co.
(Knapsack Hydraulic and
Hand Compression Sprayers)
500 North Michigan Ave.
Chicago, IL 60611
Tel: (312) 644-2830

PARCO
(Division of Blue Mountain Products)
P.O. Box 250
New Hartford, NY 13413
Tel (315) 797-3214

Root Lowell Corporation
1000 Foreman Road
Lowell, MI 49331
Tel: 1-800-253-4342

Rodenticides

Baran (fluoroacetamide)

Archem
1514 11th Street
Box 767
Portsmouth OH 45662

Tamogan Ltd.
3 Hakhshmal Street
P.O. Box 2438
Tel Aviv, Israel

Brodifacoum

ICI Americas Inc. (Talon)
Agricultural Chemicals Division
Wilmington, DE 19897

Rodent Control Ltd.
70/78 Queens Road
Reading, Berks, England
Tel: READING 54740

Sorex Ltd.
St. Michaels Road
Widnes, Cheshire WA8 8TJ England
Tel: 051420 7151

Bromadiolone

Chempar Chemical
60 E 42nd St., Ste. 652
New York, NY 10016

Sanex Chemicals Inc.
(Bromone) (MAKI)
1307 South 30th Avenue
Hollywood, FL 33020
Tel: (305) 921-5666

Castrix (crimidine)

Bayer AG
Pflanzenschutz
509 Levenkusen Bayerwerk
Federal Republic of Germany
Telex: 8510881
Tel: 02172-301
Cable: BAYER

Calcium Cyanide

Degesch America Inc.
P.O. Box 116
Weyers Case, VA 24486

Coumatetralyl (Racoumin)

Bayer AG
Pflanzenschutz
509 Levenkusen Bayerwerk
Federal Republic of Germany
Telex: 8510881
Tel: 02172-301
Cable: BAYER

Cymag (Sodium Cyanide)

Imperial Chemical Industries
Plant Protection Division
Fernhurst
Haslemere
Surrey, England GU27 3JE
Telex: 858270 Ic.pp Fernhurst
Tel: Haslemere (0428) 4061

ICI American Inc.
Agricultural Chemical Div.
Wilmington, DE 19897
Tel: Summerset Court (0428) 4061
Cable: Plantecton

Difenacoum (Ratak)

ICI American Inc.
Agricultural Chemical Div.
Wilmington, DE 19897
Tel: Summerset Court (0428) 4061
Cable: Plantecton

DPL-787 (Vacor)

Rohm & Haas Co.
Agricultural &
Sanitary Chemicals Dept.
Independence Mall West
Philadelphia, PA 19105
Tel: (215) 592-3032

Dipacnone

Bell Laboratories
3699 Kinsman Boulevard
P.O. Box 5133
Madison, WI 53705
Tel. (608) 256-2632

Velsicol Chemical Co.
341 East Ohio St.
Chicago, IL 60611
Telex: 910-221-5738
Tel (312) 670-4500

Fumazin

Union Carbide
Agricultural Products Co.
300 Brookside Ave.
Ambler, PA 19002

Pival

Motomco Inc.
267 Vreeland Ave
P.O. Box 300
Paterson, NY 07513

Red Squill

S.B. Penick & Co.
1050 Wall Street, West
Lindhurst, NJ 07071
Telex: 133525
Tel: (201) 935-6600

Prentiss Drug & Chemical Co.
363 Seventh Avenue
New York, NY 10001

Warfarin

Bell Laboratories
3699 Kinsman Boulevard
P.O. Box 5133
Madison, WI 53705
Tel: (608) 256-2632

Hopkins Agricultural Chemical Co.
Manufacturing Division
P.O. Box 7532
Madison, WI 53707

Prentiss Drug and Chemical Co.
363 Seventh Avenue
New York, NY 10001

Roberts Laboratories
4995 N. Main
Rockford, IL 61101

Velsicol Chemical Corporation
341 East Ohio St.
Chicago, IL 60611
Telex: 910-221-5738
Tel: (312) 670-4500

Zinc Phosphate

ARCHEM
1514 11th St.
Box 767
Portsmouth, OH 45602

Bell Laboratories
3699 Kinsman Boulevard
P.O. Box 5133
Madison, WI 53705
Tel: (608) 256-2632

Hooker Chemical Co
1042-7 Iroquois Ave
P.O. Box 344
Niagara Falls, NY 14302
Telex: 91-575
Tel: (716) 278-7000

Rodenticides (Prepared Baits)

Bell Laboratories Inc.
(ZP^R, RAZE^R, PCO and FINAL^R)
P.O. Box 5133
Madison, WI 53705
Tel: (608) 256-2632

Chempar Chemical Co. (ROZOL^R)
60 E. 42nd St
New York, NY 10165
Telex: 710-581-2318
Tel: (212) 687-3990

J.T. Eaton & Co. Inc.
1393 East Highland Road
Twinsburg (Cleveland), OH 44087
Tel: (216) 425-7801

J.E. Bolt Corporation
P.O. Box 25103
Chicago, IL 60625
Tel: (312) 327-7173

Southern Mill Creek Products, Inc.
(PARA-BLOX^R)
P.O. Box 1096
5414 56th Street
Tampa, FL 33601

Velsicol Chemical Corporation
(Promar^R and Ramik^R)
341 East Ohio St
Chicago, IL 60611
Telex: 910-221-5738
Tel: (312) 670-4500

Special Insecticide Products

Cenol
(Insecticide Aerosols)
P.O. Box 177
Rt. 45th Peterson Road
Libertyville, IL 60048
Tel: (312) 362-6600

Cline-Buckner, Inc.
(Baygon & Diazinon Aerosols)
16317 Piuma Avenue
Cerritos, CA 90701
Tel: (213) 924-6371

Environmental Chemicals, Inc.
(Temephos formulations)
703 North Lake Shore Drive
Barrington, IL 60010
Tel: (312) 526-7744

Gold Crest Pest Control Supplies
(Rodenticides & Insecticides)
1700 Liberty
P.O. Box 5668
Kansas City, MO 64102
Tel: (816) 421-4696

McLaughlin Gormley King Co.
(Dipterex^R)
8810 Tenth Avenue
Minneapolis, MN 55427

Pet Chemicals Inc.
(Vapona Aerosols)
P.O. Box 660656
Miami Springs, FL 33166

Peterson/Puriton, Inc.
(Aerosols)
Hegeler Lane
Danville, IL 61832
Tel: (217) 442-1400

Stephenson Chemical Co., Inc.
(Aerosol Flea Control)
P.O. Box 87188
College Park, GA 30337
Tel: (404) 762-0194

Time-Mist Inc.
(Insecticide Aerosols)
135 South Main Street
Thomaston, CT 06787
Tel: (203) 283-8226

Wyco International, Inc.
(Tossit)
4811 Carnegie Avenue
Cleveland, OH 44103
Tel: (216) 391-5047

Entomology Equipment

Light Traps
CDC Miniature
Housherr's Machine Works
Old Freehold Road
Toms River, NJ 08753
Tel: (201) 349-1319

New Jersey-like
Concession Supply Company, Inc.
1016 Summit St.
P.O. Box 1007
Toledo, Ohio
Tel: (419) 241-7711

John W. Hock, Co.
P.O. Box 12852
Gainesville, FL 32604

Plastic Larval Dippers
Clarke Spraying Company
P.O. Box 288
Roselle, IL 60172

BioQuip Products Company
P.O. Box 61
Santa Monica, CA 90406
Tel: (213) 322-6636

Aerial Applications

Commercial ultra-low volume adulticiding
Environmental Aviation Services Inc.
P.O. Box 176
Belle Glade, FL 33430
Tel: (305) 996-2369

Equipment (ULV)

BEECO Products Co.
(Beecomist spray head)
Industrial Park
Fort Washington, PA

Bockenstette Agricultural
Aviation Services
(CACU-Mist Mark IV)
P.O. Box 227
Abilene, KA 67410
Tel: (913) 263-2033

Ciba-Pilatus and Micron Sprayers Ltd.
(Electric rotary disc atomizer)
Three Hills
Bromyard, Herfordshire HR 7 4HU
United Kingdom

Micronair (Aerial) Ltd
Bembridge Fort
Sandown
Isle of Wight, PO36 8Q3, England
Tel: Brading 461
Cable: Micronair Sandown England
Telex: 86448

Spraying Systems Co.
P.O. Box 12735
St. Petersburg, FL 33733
Tel: (813) 360-3907

Specialized Ultra-low Volume Materials

Marco Chemical Division
(HAN, heavy aromatic naphtha)
W R. Grace & Co.
800 N.W. 36th Avenue
Miami, FL

Southern Mill Creek Products
(Tritons and HAN)
P.O. Box 420981 Allapettah Station
2490 N.W. 41st Street
Miami, FL 33601

Home & Farm Chemicals Co.
(Oil sensitive dye cards)
P.O. Box 6055
Charlotte, NC

Pierce Chemical
(Dri-film SC-87)
P.O. Box 6055
Rockford, IL

Rohm & Haas Co.
(Tritons)
Independence Mall West
Philadelphia, PA 19105

The mention of specific companies or products does not imply that they are endorsed or recommended by the Pan American Health Organization in preference to others of a similar nature that are not mentioned.